

## **Historic, archived document**

Do not assume content reflects current scientific knowledge, policies, or practices.



62,91

MAR 30 1935 \*

Lenthon, Julius T. S. Department of Agriculture

## PLANT LIST

1934-1935

## Foreign Rock Plants

<i>Acaena buchanani</i>	.20
<i>Acaena glauca</i>	.20
<i>Aethionema coridifolium</i>	.25
<i>Aethionema grandiflorum</i>	.35
<i>Aethionema pulchellum</i>	.25
<i>Aethionema stylosum</i>	.35
<i>Aethionema Warley hybrid</i>	.35
<i>Alyssum serpyllifolium</i>	.30
<i>Alyssum spinosum</i>	.35
<i>Ampelopsis sempervirens</i>	.75
<i>Androsace brigantiaca</i>	.40
<i>Androsace carnea laggeri</i>	.75
<i>Androsace chumbyi</i>	.30
<i>Androsace foliosa</i>	.35
<i>Androsace lanuginosa</i>	.30
<i>Androsace leichtlini</i>	.30
<i>Androsace primuloides</i>	.35
<i>Androsace sarmentosa</i>	.30
<i>Androsace sempervivoides</i>	.50
<i>Androsace vitaliana</i>	.30
<i>Androsace vitaliana praetuliana</i>	.50
<i>Androsace watkinsii</i>	.50
<i>Anemone halleri</i>	.35
<i>Anemone sylvestris</i>	.25
<i>Anemone vernalis</i>	.75
<i>Aquilegia fauriae</i>	.75
<i>Aquilegia sachaliensis</i>	.75
<i>Armeria caespitosa</i>	.50
<i>Aster farreri</i>	.35
<i>Astilbe simplicifolia rosea</i>	.50
<i>Astragalus monspessulanus</i>	.30
<i>Aubrieta hybrid</i>	.35
<i>Aubrieta, red purple</i>	.30
<i>Aubrieta, rosy carmine</i>	.30
<i>Bellis coerulescens</i>	.20
<i>Billardiera longiflora</i>	.75
<i>Campanula abietina</i>	.25
<i>Campanula allioni</i>	.50
<i>Campanula elatines</i>	.50
<i>Campanula excisa</i>	.50
<i>Campanula isophylla, blue</i>	.50

<i>Campanula istriaca</i>	.35
<i>Campanula macrorrhiza</i>	.35
<i>Campanula miranda</i>	.25
<i>Campanula miranda alba</i>	.25
<i>Campanula portenschlagiana</i>	.25
<i>Campanula pseudo-raineri</i>	.50
<i>Campanula pusilla</i>	.25
<i>Campanula pusilla alba</i>	.25
<i>Campanula raddeana</i>	.25
<i>Campanula raineri</i>	.75
<i>Campanula saxifraga</i>	.50
<i>Campanula stenocodon</i>	.50
<i>Campanula turbinata</i>	.35
<i>Draba aeizoon</i>	.30
<i>Draba cuspidata</i>	.30
<i>Draba olympica</i>	.30
<i>Draba pyrenaica</i>	.75
<i>Epimedium sulphureum</i>	.25
<i>Erodium chamaedryoides roseum</i>	.35
<i>Erodium corsicum</i>	.50
<i>Erodium romanum</i>	.35
<i>Eryngium prostratum</i>	.35
<i>Erythraea diffusa</i>	.35
<i>Gentiana acaulis</i>	.50-1.00
<i>Gentiana excisa</i>	.50
<i>Gentiana gentianella</i>	.75
<i>Gentiana kurroo</i>	.50
<i>Gentiana lagodechiana</i>	.50
<i>Gentiana purdomi</i>	.50
<i>Gentiana purdomi alba</i>	.50
<i>Gentiana septemfida</i>	.50
<i>Gentiana sino-ornata</i>	.35
<i>Gentiana sino-ornata, very dark</i>	.35
<i>Geranium lancastriense</i>	.30
<i>Geranium pylzowianum</i>	.40
<i>Geranium sanguineum</i>	.25
<i>Geranium sanguineum album</i>	.35
<i>Geranium wallachianum</i>	.30
<i>Gypsophila repens rosea</i>	.35
<i>Haberlea ferdinandi-coburgi</i>	1.00
<i>Haberlea rhodopensis</i>	1.00
<i>Horminum pyrenaicum</i>	.30
<i>Houstonia, Millard's variety</i>	.50
<i>Hutchinsia alpina</i>	.25
<i>Hypericum coris</i>	.30
<i>Hypericum reptans</i>	.40
<i>Inula ensifolia</i>	.30
<i>Iris arenaria</i>	.75
<i>Iris gracillipes</i>	.50
<i>Iris minuta</i>	2.00
<i>Iris tricuspis</i>	.35

<i>Leontopodium alpinum</i>	.25
<i>Linum salsoloides nanum</i>	.75
<i>Lithospermum prostratum</i>	.40
<i>Meconopsis napaulensis</i>	.40
<i>Mentha requini</i>	.25
<i>Morisia hypogaea</i>	.75
<i>Omphalodes cappadocica</i>	.35
<i>Omphalodes verna</i>	.35
<i>Onosma tauricum</i>	.50
<i>Papaver alpinum</i>	.25
<i>Phyteuma scheuchzeri</i>	.25
<i>Potentilla nitida</i>	.75
<i>Primula anisodora</i>	.40
<i>Primula asthore</i>	.50
<i>Primula capitata</i>	.35
<i>Primula cashmeriana</i>	.30
<i>Primula chionantha</i>	.35
<i>Primula farinosa</i>	.35
<i>Primula florindae</i>	.50
<i>Primula frondosa</i>	.30
<i>Primula helenae</i>	.35
<i>Primula juliae</i>	.35
<i>Primula littoniana</i>	.60
<i>Primula longiflora</i>	.60
<i>Primula marginata</i>	.75
<i>Primula minima</i>	1.00
<i>Primula moerheimi</i>	.30
<i>Primula nutans</i>	.60
<i>Primula sikkimensis</i>	.50
<i>Primula spectabilis</i>	.60
<i>Primula veitchi</i>	.35
<i>Primula vincaeiflora</i>	1.00
<i>Primula wanda</i>	.35
<i>Primula waltoni</i>	.35
<i>Primula wardi</i>	.75
<i>Primula wulfeniana</i>	.75
<i>Primula zambalensis</i>	.50
<i>Prunella grandiflora</i>	.25
<i>Ramondia nataliae</i>	1.00
<i>Ramondia pyrenaica</i>	1.00
<i>Saxifraga aeizoon labradorica</i>	.25
<i>Saxifraga aeizoon lutea</i>	.25
<i>Saxifraga aeizoon notata</i>	.25
<i>Saxifraga aeizoon rosea</i>	.25
<i>Saxifraga aeizoon rex</i>	.75
<i>Saxifraga aeizoon rosularis</i>	.25
<i>Saxifraga apiculata</i>	.35
<i>Saxifraga apiculata alba</i>	.30
<i>Saxifraga aspera bryoides</i>	.50
<i>Saxifraga baldensis</i>	.35
<i>Saxifraga borisi</i>	.65

<i>Saxifraga boryi</i>	.60
<i>Saxifraga burseriana magna</i>	.75
<i>Saxifraga burseriana minor</i>	1.00
<i>Saxifraga burseriana speciosa</i>	1.25
<i>Saxifraga burseriana sulphurea</i>	1.00
<i>Saxifraga caesia</i>	.50
<i>Saxifraga cartilaginea</i>	.35
<i>Saxifraga cholentiana</i>	.50
<i>Saxifraga cochlearis</i>	.25
<i>Saxifraga cotyledon</i>	.75
<i>Saxifraga Dr. Ramsey</i>	.75
<i>Saxifraga elizabethae</i>	.35
<i>Saxifraga faldonside</i>	1.00
<i>Saxifraga ferdinandi-coburgi</i>	.35
<i>Saxifraga gaudini</i>	.25
<i>Saxifraga grisebachii</i>	1.25
<i>Saxifraga haagi</i>	.50
<i>Saxifraga hostii</i>	.50
<i>Saxifraga haussmanni</i>	1.00
<i>Saxifraga irvingi</i>	1.00
<i>Saxifraga juniperiana</i>	.50
<i>Saxifraga kestoniensis</i>	.75
<i>Saxifraga lagaveana</i>	.25
<i>Saxifraga lingulata alberti</i>	.35
<i>Saxifraga marginata</i>	.75
<i>Saxifraga media</i>	1.00
<i>Saxifraga myra</i>	1.25
<i>Saxifraga obristii</i>	.75
<i>Saxifraga oppositifolia</i>	1.00
<i>Saxifraga oppositifolia hybrid</i>	1.25
<i>Saxifraga paulinae</i>	1.00
<i>Saxifraga pectinata</i>	.35
<i>Saxifraga petraschi</i>	1.00
<i>Saxifraga retusa</i>	1.25
<i>Saxifraga sancta</i>	.50
<i>Saxifraga scardica</i>	.75
<i>Saxifraga stanborgii</i>	.35

Following Sedums, each..... .20

*S. album; anglicum; brevifolium; corsicum; murale; rupestre; sarmenosum; sexangulare.*

Following Sempervivums, each..... .25

*S. arachnoideum; arenarium; braunii; calcareum; doellianum; fauconneti; fimbriatum; glaucum; globiferum; juratense; laggeri; montanum; pittoni; pottsi; rubicundum; triste.*

<i>Silene acaulis carminea</i>	.50
<i>Soldanella alpina</i>	.50
<i>Statice minuta</i>	.35
<i>Thalictrum kiusianum</i>	1.25
<i>Veronica incana</i>	.25
<i>Viola rosina</i>	.25

## Foreign Rock Shrubs

<i>Azalea</i> J. T. Lovett	.50-1.50
<i>Azalea micrantha</i> hybrid	.50
<i>Azalea obtusa</i>	.50
<i>Azalea purpurea</i>	.50
<i>Azalea procumbens</i>	5.00
<i>Bruckenthalia spiculifolia</i>	.50-1.00
<i>Calluna vulgaris nana</i>	.50
<i>Cotoneaster</i> Sp. Jap., very prostrate	1.00
<i>Cotoneaster</i> dammeri	.75
<i>Cotoneaster microphylla glacialis</i>	.75
<i>Cotoneaster rotundifolia prostrata</i>	1.00
<i>Cytisus ardoini</i>	.60
<i>Cytisus decumbens</i>	.45
<i>Cytisus kewensis</i>	.75
<i>Cytisus schipkaensis</i>	.60
<i>Daphne blagayana</i>	3.00
<i>Daphne cneorum</i>	.50-1.50
<i>Daphne mezereum</i>	.35-1.00
<i>Dryas sundermanni</i>	.25
<i>Erica ciliaris</i>	.50
<i>Erica</i> St. Keverne	.50-1.00
<i>Erica tetralix</i>	.50
<i>Erica mackiana</i> fl.pl.	.50
<i>Erica watsoni</i>	.50
<i>Euonymus kewensis</i>	.50
<i>Genista dalmatica</i>	.60
<i>Genista hispanica</i>	.45
<i>Genista horrida</i>	.75
<i>Genista pilosa</i>	.50
<i>Genista radiata</i>	.50
<i>Genista saggitalis</i>	.50
<i>Genista tinctoria</i> fl.pl.	.50
<i>Globularia nana</i>	.50
<i>Hedera helix conglomerata</i>	.35
<i>Ilex crenata</i>	.75
<i>Jasminum parkeri</i>	.50-2.00
<i>Lavendula nana atropurpurea</i>	.50
<i>Polygala chamaebuxus</i>	.50
<i>Polygala varedae</i>	.60
<i>Polygonum vaccinifolium</i>	.50

<i>Rhododendron chryseum</i>	1.00
<i>Rhododendron ciliatum</i>	2.00
<i>Rhododendron fastigiatum</i>	.50
<i>Rhododendron ferrugineum</i>	.75
<i>Rhododendron hirsutum</i>	.75
<i>Rhododendron impeditum</i>	.50
<i>Rhododendron kaempferi</i>	.50
<i>Rhododendron keiskei</i>	1.00
<i>Rhododendron mucronulatum</i>	.75
<i>Rhododendron myrtilloides</i>	4.00
<i>Rhododendron oleifolium</i>	.75
<i>Rhododendron racemosum</i>	.75
<i>Rhododendron virgatum</i>	.50-2.00
<i>Rhododendron williamsianum</i>	5.00
<i>Rosa nitida</i>	.50
<i>Rosa rouletti</i>	.50
<i>Spiraea bullata</i>	.75
<i>Vaccinium vitis-idaea</i>	.40
<i>Veronica gutheriana</i>	.35
<i>Veronica hectori</i>	.40

## Native Alpine Plants and

### Shrubs

<i>Andromeda polifolia</i>	.50
<i>Anemone drummondii</i>	.35
<i>Arabis bleraphylla</i>	.40
<i>Arenaria verna</i>	.50
<i>Arenaria sajanensis</i>	.50
<i>Baeria aristosa</i>	.35
<i>Boykinia jamesii</i>	.35
<i>Calopogon pulchellus</i>	.25
<i>Caltha leptosepala</i>	.35
<i>Cypripedium acaule</i>	.50
<i>Cypripedium montanum</i>	.50
<i>Douglasia laevigata</i>	.35
<i>Douglasia montana</i>	.60
<i>Dryas drummondii</i>	.50
<i>Dryas octopetala</i>	.35
<i>Epigaea repens</i>	.50-1.00
<i>Galax aphylla</i>	.50
<i>Gaultheria procumbens</i>	.50
<i>Gentiana affinis</i>	.60
<i>Gentiana septemfida</i>	.50
<i>Gentiana orfordii</i>	.60
<i>Gormania watsoni</i>	.25
<i>Habenaria psycodes</i>	.35
<i>Hepatica triloba, pale</i>	.25

<i>Hepatica triloba</i> , dark blue.....	.50
<i>Houstonia coerulea</i> .....	.25
<i>Houstonia serpyllifolia</i> .....	.25
<i>Hydastylus borealis</i> .....	.50
<i>Iris cristata</i> .....	.25
<i>Iris verna</i> .....	.25
<i>Jeffersonia diphylla</i> .....	.50
<i>Leiophyllum prostratum</i> .....	1.50
<i>Leucocrinum montanum</i> .....	.50
<i>Leucothoe racemosa</i> .....	.75
<i>Lewisia howelli</i> .....	.50
<i>Luetkea pectinata</i> .....	.25
<i>Mimulus lewisi</i> .....	.25
<i>Mimulus primuloides</i> .....	.50
<i>Orchis spectabilis</i> .....	.50
<i>Pachystima canbyi</i> .....	.50
<i>Pentstemon barrettiae</i> .....	.35-.75
<i>Pentstemon corymbosus</i> .....	.50
<i>Pentstemon diffusus</i> .....	.35
<i>Pentstemon menziesi davidsoni</i> .....	.35
<i>Pentstemon rattani-minor</i> .....	.25
<i>Pentstemon rupicola</i> .....	.35
<i>Phlox adsurgens</i> .....	.50
<i>Phlox verna</i> .....	.25
<i>Pieris floribunda</i> .....	.75
<i>Polemonium elegans</i> .....	.25
<i>Polemonium carneum</i> .....	.30
<i>Polygonum paronychia</i> .....	.35
<i>Potentilla nevadensis</i> .....	.35
<i>Potentilla tridentata</i> .....	.25
<i>Primula parryi</i> .....	.50
<i>Rhodiola rosea</i> .....	.20
<i>Romanzoffia sitchensis</i> .....	.35
<i>Rosa foliolosa alba</i> .....	.50
<i>Saxifraga caespitosa</i> .....	.35
<i>Sedum rupicola</i> , new species.....	.50
<i>Shortia galacifolia</i> .....	.50
<i>Silene acaulis</i> .....	.25
<i>Spiraea caespitosa</i> .....	1.00
<i>Spiraea hendersoni</i> .....	1.00
<i>Stylophorum diphyllum</i> .....	.25
<i>Vaccinium vitis-idaea minor</i> .....	.75
<i>Viola fletti</i> .....	1.00
<i>Viola pedata</i> .....	.35
<i>Viola pedata bicolor</i> .....	.40

## Native Rock Ferns

<i>Asplenium trichomanes</i> .....	.35
<i>Cheilanthes gracillima</i> .....	.50

<i>Cryptogramma acrostichoides</i>	.25
<i>Dryopteris phegopteris</i>	.35
<i>Pellaea brachyptera</i>	.75
<i>Pellaea bridgesii</i>	.75
<i>Pellaea densa</i>	.25
<i>Pityrogramma triangularis</i>	.35
<i>Polystichum viviparum, India</i>	.35-1.00

## Dwarf Conifers

<i>Chamaecyparis nana</i>	.75
<i>Chamaecyparis fletcheri</i>	.35
<i>Chamaecyparis obtusa nana</i>	.75
<i>Chamaecyparis filifera nana</i>	.75
<i>Cryptomeria japonica nana</i>	.75
<i>Juniperus horizontalis</i>	.75-1.00
<i>Juniperus japonica aurea</i>	1.00
<i>Picea alberta conica glauca</i>	1.50
<i>Picea excelsa clanbrasiliana</i>	.75
<i>Picea excelsa procumbens</i>	.75
<i>Picea excelsa pumila</i>	.85
<i>Picea excelsa repens</i>	.75
<i>Picea orientalis</i>	.50
<i>Pinus mugho</i>	.75
<i>Taxus canadensis</i>	.60
<i>Taxus cuspidata nana</i>	1.00

*Postage or express on plants is charged to the purchaser.*

**JULIUS ANTHON**

2215 East 46th Street

SEATTLE, WASHINGTON, U.S.A.

Phone Kenwood 4939

*Prices subject to change in accord with Code.*